



# MERKRETE GROUT SOLUTIONS Coverage Charts

## PROGROUT / INTEGRA / DURACOLOR

Per 25 lb. Bag

NOMINAL TILE SIZE	JOINT WIDTH			
	1/8"	1/4"	3/8"	1/2"
2" x 2" x 1/4"	93	48	33	26
4" x 4" x 3/8"	122	62	42	32
4" x 8" x 3/8"	162	82	55	42
6" x 6" x 3/8"	182	92	62	47
6" x 8" x 3/8"	208	105	70	53
8" x 8" x 3/8"	242	122	82	62
10" x 10" x 3/8"	302	152	102	77
12" x 12" x 3/8"	362	182	122	92
15" x 15" x 3/8"	452	227	152	114
16" x 16" x 3/8"	482	242	162	122
18" x 18" x 3/8"	542	272	182	137
20" x 20" x 3/8"	602	302	202	152

## DURACOLOR Non-Sanded

Per 10 lb. Box

NOMINAL TILE SIZE	JOINT WIDTH		
	1/16"	3/32"	1/8"
1" x 1" x 1/4"	53	36	27
2" x 2" x 1/4"	103	69	53
4" x 2" x 1/4"	137	92	69
4" x 4" x 3/8"	137	92	69
4" x 8" x 3/8"	182	122	91
6" x 6" x 3/8"	205	137	103
8" x 8" x 3/8"	272	182	137
8" x 10" x 1/2"	227	152	114
10" x 10" x 3/8"	340	227	171
12" x 12" x 3/8"	408	272	205
15" x 15" x 3/8"	510	340	256

## PRO EPOXY

Per 1-Gallon Unit

NOMINAL TILE SIZE	JOINT WIDTH		
	1/8"	1/4"	3/8"
4" x 8" x 1/2"	72	36	26
6" x 6" x 3/8"	106	58	40
6" x 6" x 1/2"	80	42	28
8" x 8" x 3/8"	142	72	58
12" x 12" x 3/8"	210	106	72
12" x 12" x 1/2"	156	80	54
12" x 12" x 5/16"	84	42	28
13" x 13" x 3/8"	228	116	78
16" x 16" x 3/8"	280	142	96
18" x 18" x 3/8"	312	156	106
20" x 20" x 3/8"	344	176	118

Coverages are approximate and may be reduced based on project conditions, actual tile size, waste and other factors. Please reference Merkrete's Grout Calculator for other tile sizes and more details.

[www.merkrete.com](http://www.merkrete.com)

Parex USA, Inc., 4125 E. La Palma Ave., Suite 250 Anaheim, CA 92807  
Tech Support 800.226.2424 Customer Care 877.547.8822

©2016, Parex USA, Inc. MK G CC 0716





# PRODUCT SELECTION



## DURACOLOR SANDED

- For 1/8" to 1/2" grout joints
- Polymer fortified for hard, durable, professional results
- Stain resistant and color consistent
- Exceeds ANSI A118.6



## DURACOLOR NON-SANDED

- For grout joints up to 1/8"
- Polymer fortified for hard, durable, professional results
- Stain resistant and color consistent
- Exceeds ANSI A118.6



## PROGROUT

- High-performance, fast-setting grout for joints 1/16" to 1/2" wide
- Color consistent
- Stain resistant and efflorescence free
- Exceeds ANSI A118.7



## INTEGRA

- Non-abrasive all-in-one thin set and grout
- Color consistent – Thin set and grout are the same color
- Specifically designed for glass and mosaic tiles on floors and walls



## PRO EPOXY

- Chemical and stain resistant
- Color consistent – Easy to use
- Exceeds ANSI A118.3



## COLORED CAULKING

- Maximum joint width and depth should not exceed 1/4"
- Designed for use around tubs and sinks with sanded grout
- Use where horizontal and vertical surfaces meet
- Available in sanded and smooth



## MK 100% SILICONE CAULK

- For interior and exterior use with tile or stone
- Flexible material for use on expansion joints
- Suitable for wet and submerged areas
- ASTM C920 / C794



## REVIVE

- Water-based urethane acrylic grout stain and sealer
- For revitalizing or changing color of older sanded or non-sanded grouts
- Designed to help protect against moisture and staining



## GROUT SEALER

- Penetrating silicone sealer suitable for porous, absorbent masonry, clay, stone, marble and portland cement grouts
- Water-based, silicone resin designed to protect grout surfaces from stains and water



## BURST

- Easy to use, powerful additive that accelerates set time
- Does not affect grout performance characteristics
- Excellent for repair work



# GROUT

COLOR SELECTION


**GROUT COLORS** All colors available in Duracolor Sanded and Non-Sanded, Colored Caulking, and Revive.  
**PG** ProGrout **E** Pro Epoxy **I** Integra **SC** 100% Silicone Caulk



00010 BRIGHT WHITE



00024 CHAMOIS **PG E**



00011 SNOW WHITE **PG I SC**



00025 TUMBLEWEED **PG E I SC**



00012 NAVAJO WHITE **PG E SC**



00030 SILVER **PG E I SC**



00015 SWISS COFFEE **I**



00032 LIGHT TAUPE **E**



00017 BONE **PG E I**



00034 RIVER ROCK **E SC**



00018 CREAM **PG E SC**



00035 NATURAL GRAY **PG E**



00021 CANVAS **PG E SC**



00038 GRAY **PG E I**




00023 LATTE **PG SC**



00057 HARVEST **PG**

Sample colors shown are approximate to the final grout color. Final installed grout color may vary due to job conditions, tile porosity, mixing ratio, sealers, installation methods, temperature, or individual batches. Use grouts with the same batch number whenever possible. Different batch numbers should be dry blended together to obtain color uniformity. Follow ANSI A108.10 grouting practices. Please contact Customer Care Department for further questions at 877-547-8822.

Today, tile sizes, style, color, composition and areas of use are constantly evolving, and so must the installation products to meet these demands. Using the correct installation product is vital to the success of every tile installation and selecting the right grout is just as important.




00063 CARMEL **E**



00134 NEW ADOBE



00137 AZTEC **PG**



00162 TRUE TAUPE **PG E**



00175 DARK CHOCOLATE



00178 COCO **PG E**



00525 BLACK SAPPHIRE **PG E I SC**



00572 NEW DENIM



00583 ANCIENT JADE



00071 SANDSTONE **PG E**



00145 MOCHA **PG E**



00147 ESPRESSO



00150 SANTA FE **PG E**



00153 BUCKSKIN **PG E I SC**



00191 TERRACOTTA **PG E**